

SAMPLE RECEIVED  
August 13, 2026

COA ISSUED  
August 17, 2026

SAMPLE INFORMATION

|                         |                                   |                                        |
|-------------------------|-----------------------------------|----------------------------------------|
| Vendor<br>COA Coalition | Sample Name<br>BBG70              | Sample Type<br>Blue lyophilized powder |
| Lot Number<br>081026    | MW (g/mol)<br>402.9, 14419.5, 889 |                                        |


ANALYTICAL METHODS

Identity: Confirmed via LC-MS/MS  
Purity: RP-HPLC (214 nm)  
Content: HPLC quantitation

TEST RESULTS

| Specification   | Result                  | Method            | Status     |
|-----------------|-------------------------|-------------------|------------|
| Identity: BBG70 | GHK-Cu, TB-500, BPC-157 | LC-MS/MS          | ✓ Conforms |
| Content         | 50.82, 10.33, 10.52 mg  | HPLC Quantitation | ✓ Conforms |
| Overall Purity  | 99.96%                  | RP-HPLC (214 nm)  | ✓ Conforms |

HPLC Chromatogram · Retention Time 1.941, 2.316, 9.199 min



**Certification:** This Certificate of Analysis confirms that the tested material meets or exceeds Bioviridian's analytical quality specifications for peptide research use.  
Verify authenticity at [bioviridians.com/coa-search.html](https://bioviridians.com/coa-search.html) using the Web Verification Code above.



info@bioviridians.com

Shane Straight  
Shane Straight, M.S.  
Principal Chemist, Bioviridian Inc.